



## Declaration of Conformity - Déclaration de Conformité - Konformitätserklärung

Martins Industries

declare under our sole responsibility that the following products  
déclarons sous notre seule responsabilité que les produits suivants  
erklären in alleiniger Verantwortung, dass die folgenden Produkte

**MW-60, MW-64HP, MW-60-4WAY**

Automatic Tire Inflator

Gonfleur automatique pour pneus

Automatischer Reifenfüller

have been manufactured in accordance with the standards  
ont été produits en accord avec les directives et normes  
in Übereinstimmung mit den Normen hergestellt haben

**2014/35/EU**

Low Voltage Directive

Directive basse tension

Niederspannungsrichtlinie

**EN 60335-1**

Safety of Household and Similar Appliances

Appareils électrodomestiques et analogues

Sicherheit elektrischer Geräte für des Hausgebrauch und ähnliche Zwecke



Declared on 2017-01-13

Martin Dépelteau  
President  
Martins Industries





## Declaration of Conformity

Martins Industries

declare under our sole responsibility that the following products

**MW-60, MW-64HP, MW-60-4WAY**  
Automatic Tire Inflator

have been manufactured in accordance with the standards

**Electrical Equipment (Safety) Regulations 2016**

**EN 60335-1**  
Safety of Household and Similar Appliances



Declared on 2021-05-13

A handwritten signature in black ink, appearing to read 'MD'.

Martin Dépelteau  
President  
Martins Industries



# CALIBRATION CERTIFICATE

## MARTINS INDUSTRIES INC.

1200 BLVD INDUSTRIEL, FARNHAM, QUEBEC, CANADA, J3N 2B5

Name of Product tested: Automatic Tire Inflator (MW-60, MW-60 4WAY, MW-64HP, MHA-100)

Certification Company: SIMT, Shanghai Institute of Measurement & Testing Technology

Calibration Certificate Series Ref No.: 2017G50-10-1196030003

Date & Approval of Testing: 2017 / 07 / 25

### MEASUREMENT STANDARDS

| INSTRUMENT                   | MODEL                          | SERIAL NO.                      | MEASUREMENT RANGE                     |
|------------------------------|--------------------------------|---------------------------------|---------------------------------------|
| Pressure Verification        | MicroCal P (20DPC) / (0~35)MPa | 115794 / 2415579                | (0~35)MPa<br>(0~2000)kPa<br>(0~50)kPa |
| ACCURACY                     | CERTIFICATE NO.                | TEMPERATURE                     | RELATIVE HUMIDITY                     |
| +/- 0.02 bar<br>+/- 0.29 psi | 2016E21-10-105748              | 21° Celsius<br>69.8° Fahrenheit | 54% RH                                |

### TEST RESULT

| SET PRESSURE VALUE (bar) | MEASURED PRESSURE VALUE (bar) | SET PRESSURE VALUE (PSI) | MEASURED PRESSURE VALUE (PSI) |
|--------------------------|-------------------------------|--------------------------|-------------------------------|
| 2.00                     | 2.00                          | 29.00                    | 29.00                         |
| 4.00                     | 3.99                          | 58.02                    | 57.87                         |
| 6.00                     | 5.99                          | 87.02                    | 86.88                         |
| 8.00                     | 7.98                          | 116.03                   | 115.74                        |
| 10.00                    | 9.98                          | 145.04                   | 144.75                        |